


INDIANA. N & E 2 P. M.



Township N. XIII North, Range N. VI East 2. Mor. Surveyed by T. Brown, 1821.

Description of the Soil on the interior sectional lines.

Section	Quality &c?	Section	Quality &c?	Section	Quality &c?
35.36	Land level 2 nd water Barab. Sugar. Oak. Hickory. 100 ft. 36.36	33.34	Same	4.5	Land level 2 nd water Barab. Sugar. Oak. Hickory. 100 ft. 36.36
25.36	Land level 2 nd water Barab. Sugar. Oak. Hickory. 100 ft. 36.36	27.34	Same	31.32	Same
25.36	Land level 2 nd water Barab. Sugar. Oak. Hickory. 100 ft. 36.36	27.34	Same	29.32	Same
24.25	Same	27.34	Same	30.31	Same
23.24	Same	27.34	Same	29.30	Same
13.24	Same	27.34	Same	20.29	Same
12.14	Same	27.34	Same	19.30	Same
12.13	Land level 2 nd water Barab. Sugar. Oak. Hickory. 100 ft. 36.36	27.34	Same	18.20	Same
11.12	Same	27.34	Same	17.19	Same
1.12	Same	27.34	Same	16.18	Same
1.2	Same	27.34	Same	15.17	Same
34.35	Land level 2 nd water Barab. Sugar. Oak. Hickory. 100 ft. 36.36	27.34	Same	14.16	Same
26.35	Land level 2 nd water Barab. Sugar. Oak. Hickory. 100 ft. 36.36	27.34	Same	13.15	Same
26.34	Same	27.34	Same	12.14	Same
25.34	Same	27.34	Same	11.13	Same
24.33	Same	27.34	Same	10.12	Same
23.32	Same	27.34	Same	9.11	Same
22.31	Same	27.34	Same	8.10	Same
21.30	Same	27.34	Same	7.9	Same
20.29	Same	27.34	Same		
19.28	Same	27.34	Same		
18.27	Same	27.34	Same		
17.26	Same	27.34	Same		
16.25	Same	27.34	Same		
15.24	Same	27.34	Same		
14.23	Same	27.34	Same		
13.22	Same	27.34	Same		
12.21	Same	27.34	Same		
11.20	Same	27.34	Same		
10.19	Same	27.34	Same		
9.18	Same	27.34	Same		
8.17	Same	27.34	Same		
7.16	Same	27.34	Same		
6.15	Same	27.34	Same		
5.14	Same	27.34	Same		
4.13	Same	27.34	Same		
3.12	Same	27.34	Same		
2.11	Same	27.34	Same		

IND

ownership N. 1/4 North, Range N. 6 East of 2nd Meridian.

Posts	Bearing trees	Angles diam.	Courses They bear	Dist.	Quality of the Soil
A	Beech	18	N 24 E 19		
a	Hickory	10	S 44 W 36		
B	N. Elm	12	N 80 W 27		
b	Buckeye	12	S 64 E 38		
C	Hickory	20	S 60 W 8		
c	do	10	N 48 E 20		
D	N. Oak	38	S 63 W 21		
d	Beech	70	N 53 E 58		
E	Beech	12	S 43 E 23		
e	Elm	30	S 26 N 23		
F	Hickory	18	S 82 E 19		
f	Hickory	5	N 23 W 14		
G	Beech	10	N 10 W 32		C to H Good land
g	do	12	S 12 W 19		
g	Beech	20	S 16 W 60		
H	Elm	22	N 13 E 13		
h	Beech	20	S 63 W 13		H to I Same?
I	do	14	N 77 E 41		
J	Hickory	14	N 34 E 17		
i	Beech	8	N 33 W 32		
I	Beech	6	N 1 E 26		I to H Same?
i	do	12	N 10 E 39		
i	Beech	8	S 45 W 63		
II	do	13	N 52 E 10		
II	Elm	10	S 40 W 14		H to II Good dry land. Beech.
II	Bark	18	N 6 E 22		Oak. Side of
II	Hornbeam	7	S 4 E 24		
II	Ash	6	N 71 W 73		
II	Bark	15	S 23 W 15		I to III Same. Not.
II	Sycamore	8	N 72 E 8		
II	Beech	5	S 18 W 21		
III	do	8	N 54 W 6		
III	Ash	8	S 31 W 35		M to N Same
III	Sycamore	12	N 52 E 16		
III	Hickory	8	S 11 W 32		
III	Hickory	14	N 23 W 24		
III	Beech	10	N 44 E 2		H to O Oak land. Beech. Spruce.
III	Elm	24	N 79 E 15		Ash & Spruce
III	Beech	8	N 86 E 24		
III	Sycamore	8	S 30 W 63		
O	Hickory	12	S 5 W 13		O to P Same?
O	do	10	N 42 W 14		
O	Elm	26	S 42 W 6		
P	do	24	N 88 E 23		
P	Sugar	12	N 15 W 5		P to Q Same. timber Same?
P	do	12	S 45 W 20		with Sugar
P	Beech	10	N 55 E 20		
P	do	8	S 33 W 4		
P	Beech	8	N 30 W 2		Q to R Same?
P	do	24	S 38 W 23		
P	Hickory	12	N 70 W 15		
P	Beech	8	S 26 E 19		
P	Beech	10	S 15 E 3		R to S Same?
P	do	8	N 20 W 13		
P	Beech	12	N 26 W 5		
P	do	10	S 5 E 10		
P	Beech	10	N 51 W 5		S to T Same?
P	do	10	S 1 W 14		
P	Beech	24	S 33 W 12		
P	do	24	N 82 E 7		
P	Beech	18	S 43 W 16		
P	do	12	N 5 W 12		
Q	N. Oak	20	S 71 W 36		
Q	Hickory	20	N 44 E 33		
R	N. Oak	10	S 70 E 7		
R	do	5	N 73 W 5		
S	N. Oak	10	S 49 W 20		
S	do	12	N 31 E 32		
T	N. Walnut	12	N 85 W 30		
T	Hickory	10	S 35 E 16		
U	Hickory	18	N 25 W 8		
U	do	12	S 32 E 18		

Interior Section Corners described

Corners of Sections	Bearing trees	Angles diam.	Courses They bear	Dist.
25. 26. 35. 36	Beech	16	N 25 E 9	
25. 26. 35. 36	Ash	10	S 11 E 28	
23. 24. 25. 26	Beech	12	N 63 W 22	
do	do	10	S 33 E 43	
13. 14. 23. 24	Beech	12	N 28 W 24	
do	Gray. Ash	20	S 64 E 44	
11. 12. 13. 14	Beech	12	S 35 E 17	
do	do	14	N 23 W 17	
1. 2. 11. 12	Beech	8	S 58 E 5	
do	do	12	N 22 W 30	
26. 27. 34. 35	Beech	14	N 41 W 9	
do	P. Pine	14	S 24 E 33	
22. 23. 26. 27	Beech	20	N 28 W 13	
do	do	12	S 41 E 28	
14. 15. 22. 23	Willow	6	N 66 W 41	
do	do	5	S 37 W 30	
10. 11. 14. 15	Hickory	10	S 24 W 8	
do	Beech	6	N 14 E 30	
2. 3. 10. 11	Gray. Ash	20	N 23 E 24	
do	do	8	S 35 W 16	
27. 28. 33. 34	Beech	20	N 20 W 40	
do	N. Oak	30	N 60 E 10	
21. 22. 27. 28	Beech	12	N 40 W 39	
do	do	14	N 41 E 16	
18. 19. 21. 22	N. Oak	30	N 30 W 13	
do	Blunt Ash	12	S 45 E 48	
7. 10. 15. 16	Beech	8	S 30 E 21	
do	do	15	N 25 W 19	
3. 4. 9. 10	Sugar	6	S 15 W 10	
do	do	12	S 36 E 32	
25. 26. 32. 33	Beech	20	S 7 W 30	
do	Sugar	12	N 31 E 21	
20. 21. 28. 29	Beech	14	N 43 E 22	
do	do	10	S 36 W 29	
16. 17. 20. 21	Beech	12	S 4 W 24	
do	do	6	S 25 E 20	
8. 9. 16. 17	N. Oak	10	N 46 W 40	
do	Beech	10	S 42 E 40	
4. 5. 8. 9	Beech	14	S 42 E 44	
do	do	12	S 35 W 24	
29. 30. 31. 32	Sugar	14	N 56 E 14	
do	Beech	10	S 32 W 18	
19. 20. 29. 30	Beech	18	N 50 W 5	
do	do	14	S 41 E 20	
17. 18. 19. 20	N. Oak	14	S 22 W 17	
do	do	14	S 17 E 39	
7. 8. 17. 18	Hickory	10	S 48 E 10	
do	do	8	N 57 W 40	
5. 6. 7. 8	Sugar	18	S 19 W 8	
do	N. Oak	40	N 24 E 60	

Interior Quarter Section Corners.

Corners of Sections	Bearing trees	Angles diam.	Courses They bear	Dist.
1 to 2	N. Oak	12	N 1 W 18	
2 to 3	Elm	10	S 7 E 21	
3 to 4	Beech	12	S 67 W 24	
4 to 5	do	9	S 36 E 24	
5 to 6	do	10	N 39 W 22	
6 to 7	P. Pine	12	N 26 W 20	
7 to 8	do	12	S 26 E 31	
8 to 9	Beech	10	N 47 W 35	
9 to 10	do	14	S 44 E 44	
10 to 11	N. Elm	20	N 37 W 31	
11 to 12	Gray. Ash	20	S 44 E 15	
12 to 13	Hickory	16	N 21 W 44	
13 to 14	N. Elm	18	N 73 E 30	
14 to 15	Beech	10	S 62 W 38	
15 to 16	N. Elm	30	N 57 E 23	
16 to 17	Beech	12	S 39 W 24	
17 to 18	do	30	N 15 E 22	
18 to 19	N. Elm	12	South 17	
19 to 20	Hickory	12	North 40	
20 to 21	Hornbeam	6	S 50 E 6	
21 to 22	Beech	12	S 34 W 43	
22 to 23	do	12	N 25 W 39	
23 to 24	do	12	S 21 E 25	
24 to 25	Gray. Ash	16	S 20 E 20	
25 to 26	do	12	N 21 E 2	
26 to 27	Beech	12	S 55 W 20	
27 to 28	do	12	S 22 E 9	
28 to 29	Beech	12	N 19 W 26	
29 to 30	do	12	S 34 E 10	
30 to 31	Beech	12	S 37 W 8	
31 to 32	do	10	N 40 E 16	
32 to 33	N. Elm	20	S 47 W 38	
33 to 34	Hickory	12	N 77 E 14	
34 to 35	Beech	10	N 24 E 10	
35 to 36	Hornbeam	8	S 1 W 29	

Interior Quarter Section Corners.


Corners of Sections	Bearing trees	Angles diam.	Courses They bear	Dist.
1 to 2	Elm	10	S 33 W 24	
2 to 3	Maple	6	N 40 E 15	
3 to 4	Gray. Ash	24	S 27 E 25	
4 to 5	Beech	6	N 34 W 13	
5 to 6	Beech	10	S 37 W 22	
6 to 7	do	12	N 36 E 18	
7 to 8	Hickory	20	N 32 E 20	
8 to 9	N. Elm	30	S 33 W 34	
9 to 10	N. Elm	10	S 30 W 7	
10 to 11	Gray. Ash	6	S 36 E 15	
11 to 12	Post & Monument			
12 to 13	Post	18	N 21 E 23	
13 to 14	Elm	6	N 23 E 17	
14 to 15	N. Oak	8	S 43 W 10	
15 to 16	Hickory	8	N 68 E 25	
16 to 17	Beech	30	East 3	
17 to 18	do	12	S 31 W 36	
18 to 19	Hickory	14	S 37 E 19	
19 to 20	Sugar	12	S 30 E 10	
20 to 21	N. Oak	30	S 15 W 10	
21 to 22	Hickory	10	N 33 E 25	
22 to 23	N. Oak	10	N 5 W 26	
23 to 24	N. Elm	20	S 8 W 23	
24 to 25	Beech	6	N 52 E 25	
25 to 26	Sugar	14	S 67 W 22	
26 to 27	Beech	12	S 8 W 25	
27 to 28	do	15	N 27 E 35	
28 to 29	Hickory	12	N 25 E 14	
29 to 30	do	18	North 13	
30 to 31	Beech	10	N 21 E 23	
31 to 32	do	14	S 30 W 44	
32 to 33	Beech	12	S 11 E 17	
33 to 34	do	10	N 43 W 30	
34 to 35	Beech	18	N 3 E 20	
35 to 36	do	20	S 24 W 36	
36 to 37	do		N 54 W 11	
37 to 38	Beech	8	N 41 E 30	
38 to 39	Beech	18	N 28 W 22	
39 to 40	do	14	S 24 E 47	
40 to 41	do	6	N 11 W 18	
41 to 42	Hornbeam	12	S 21 E 19	
42 to 43	N. Elm	6	N 13 E 11	
43 to 44	Hickory	20	S 42 E 12	
44 to 45	Hornbeam	5	N 10 E 13	
45 to 46	Ash	5	N 27 E 9	
46 to 47	Ash	12	South 6	
47 to 48	Hornbeam	5	N 24 W 12	
48 to 49	Sugar	5	N 51 W 11	
49 to 50	do	8	S 67 E 7	
50 to 51	Beech	18	N 48 W 29	
51 to 52	do	8	S 42 E 24	
52 to 53	Gray. Ash	6	N 26 W 12	
53 to 54	N. Elm	14	S 27 E 26	
54 to 55	Sugar	14	S 20 E 34	
55 to 56	Hornbeam	8	N 59 W 35	
56 to 57	Beech	12	N 42 E 20	
57 to 58	Hornbeam	6	S 30 W 13	
58 to 59	Beech	14	N 36 W 21	
59 to 60	Hickory	8	S 35 E 14	
60 to 61	N. Elm	5	N 60 W 20	
61 to 62	Post Oak	16	S 33 E 17	
62 to 63	Hickory	10	N 26 E 15	
63 to 64	do	10	S 37 W 10	
64 to 65	Hornbeam	5	S 17 E 12	
65 to 66	Gray. Ash	6	N 43 W 21	
66 to 67	Hickory	14	N 42 W 2	
67 to 68	N. Elm	20	S 40 E 40	
68 to 69	Hickory	20	S 82 W 17	
69 to 70	Beech	10	S 82 E 16	
70 to 71	Gray. Ash	14	S 10 W 20	
71 to 72	Hornbeam	6	N 20 E 20	
72 to 73	Beech	20	N 7 W 21	
73 to 74	do	14	South 14	
74 to 75	Beech	10	N 29 E 32	
75 to 76	do	20	S 24 W 41	
76 to 77	N. Oak	8	East 5	
77 to 78	Hickory	20	S 31 W 10	
78 to 79	N. Oak	16	N 70 E 6	
79 to 80	do	12	S 40 W 35	
80 to 81	Hickory	10	S 12 W 25	
81 to 82	N. Elm	10	N 41 E 22	
82 to 83	N. Oak	12	N 12 E 22	
83 to 84	do	12	S 21 W 22	

Corners on White River

Posts	Bearing trees	Angles diam.	Courses They bear	Dist.
1	Buckeye	8	S 68 W 6	
	Hornbeam	10	S 49 E 17	
2	N. Oak	8	S 41 E 9	
	do	6	N 48 W 14	
3	Buckeye	12	S 46 W 8	
	Post Oak	5	S 33 W 5	
4	Buckeye	10	S 35 W 55	
5	Sycamore	18	N 21 E 23	
	do	24	S 67 W 12	
6	N. Oak	14	S 26 E 12	
	do	10	S 5 W 8	
7	Post	no	bearing trees	
8	Post	no	bearing trees	
9	Willow	8	S 84 W 23	
10	Buckeye	8	N 40 E 3	
	Hickory	10	S 3 E 9	
11	Hornbeam	8	N 40 E 3	
	Buckeye	6	N 48 W 14	
12	No improvement			
13	Hickory	8	S 14 W 9	
	Buckeye	10	N 40 E 3	
14	Post Oak	16	S 44 E 13	
	Horn. Elder	10	N 44 W 20	
15	Willow	8	N 48 W 22	
16	Oak	8	S 44 E 8	
	Walnut	8	S 64 W 23	
17	Hornbeam	4	S 51 E 10	
	Locust	8	S 43 E 15	
18	Locust	26	S 68 W 18	
	Short-bay	6	N 45 E 13	

Township No. XIX North, Range N. VI East 2nd Mer.

14



Total quantity 23,456.61

INDIANA:
N & E 2 P. M.

Scale of 40 rods to an inch


A true copy from the original.

Surveyor General's Office March 14, 1822.

Edward Tiffin Sur. Gen.

Township N. ^o III North, Range N. ^o VI East 2nd Mer.

9



Offered at public sale, Oct. 1832

A true copy from the original.

Surveyor General's Office March 14. 1832.

Edward L. Johnson, Sur. Gen.